

U.S. APPLICATION NO. 10/065,817
OLD ATTORNEY DOCKET NO.: 36287.03900
NEW ATTORNEY DOCKET NO.: 72167.000580

II. IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently amended) A method for updating information on a client computer, the method comprising:
creating a data cache as a subset of a larger database;
performing a periodic refresh of the data cache from the larger database;
identifying change in the data cache;
responsive to the change in the data cache, sending a message to the client;
[[and]]
responsive to the message, automatically requesting the changed data; and
updating the information on the client computer with the changed data.
2. (Original) A method according to claim 1, further comprising:
establishing a connection between the client and a server; and
responsive to a request from the client to the server, sending a set of data from the data cache to the client.
3. (Original) A method according to claim 2, wherein the connection uses HTTP protocol.
4. (Original) A method according to claim 1, further comprising:
establishing a connection between the client and a server; and
sending the message to the client from the server using the connection.
5. (Original) A method according to claim 4, wherein the connection uses TCP protocol.
6. (Original) A method according to claim 1, further comprising:
establishing a first connection between the client and a server;
establishing a second connection between the client and the server;

U.S. APPLICATION NO. 10/065,817
OLD ATTORNEY DOCKET NO.: 36287.03900
NEW ATTORNEY DOCKET NO.: 72167.000580

responsive to a request from the client to the server, sending a set of data from the data cache to the client over the first connection;

sending the message to the client from the server using the second connection; and

responsive to the message, automatically sending the request for the changed data from the client to the server using the first connection.

7. (Original) A method according to claim 1, wherein the message has at least two states, one state indicating no change in the data cache, and the other state indicating change in the data cache.
8. (Original) A method according to claim 7, wherein requesting the changed data is responsive to the message state indicating change in the data cache.
9. (Original) A method according to claim 1, wherein the message is periodic.
10. (Original) A method according to claim 1, wherein the message is aperiodic.
11. (Original) A method for notifying a client browser of a data change in a data cache, the method comprising:
 - creating a data cache in a RAM cache of an application server as a subset of a larger database;
 - establishing an HTTP connection between the client and the application server;
 - establishing a TCP connection between the client and the application server;
 - responsive to a resource request from the client, sending an html file via the HTTP connection to the client, the html file reflecting data in the data cache at a first time;
 - after the first time, performing a periodic refresh of the data cache from the larger database;

U.S. APPLICATION NO. 10/065,817
OLD ATTORNEY DOCKET NO.: 36287.03900
NEW ATTORNEY DOCKET NO.: 72167.000580

- identifying change in the data cache;
responsive to the change in the data cache, sending a message from the application server to the client via the TCP connection; and
responsive to the message, sending a request for the changed data from the client to the application server via the HTTP connection.
12. (Currently amended) Computer executable software code transmitted as an information signal, the code for updating information on a client computer, the code comprising:
code to create a data cache as a subset of a larger database;
code to perform a periodic refresh of the data cache from the larger database;
code to identify change in the data cache;
responsive to the change in the data cache, code to send a message to the client; **[[and]]**
responsive to the message, code to automatically request the changed data;
and
code to update the information on the client computer with the changed data.
13. (Currently amended) A computer readable medium having computer executable code stored thereon, the code for updating information on a client computer, the code comprising:
code to create a data cache as a subset of a larger database;
code to perform a periodic refresh of the data cache from the larger database;
code to identify change in the data cache;
responsive to the change in the data cache, code to send a message to the client; **[[and]]**

U.S. APPLICATION NO. 10/065,817
OLD ATTORNEY DOCKET NO.: 36287.03900
NEW ATTORNEY DOCKET NO.: 72167.000580

responsive to the message, code to automatically request the changed data;
and
code to update the information on the client computer with the changed
data.

14. (Currently amended) A programmed computer for updating information on
a client computer, comprising:

a memory having at least one region for storing computer executable
program code; and

a processor for executing the program code stored in the memory, wherein
the program code comprises:

code to create a data cache as a subset of a larger database;

code to perform a periodic refresh of the data cache from the larger
database;

code to identify change in the data cache;

responsive to the change in the data cache, code to send a message to
the client; ~~[[and]]~~

responsive to the message, code to automatically request the changed
data; and

code to update the information on the client computer with the
changed data